

[54] HANDSET TELEPHONE AND STAND UNIT

3,384,718 5/1968 Uulder D14/60

[75] Inventor: Peter Becker, Berlin, Fed. Rep. of Germany

[73] Assignee: Krone GmbH, Berlin, Fed. Rep. of Germany

[**] Term: 14 Years

[21] Appl. No.: 732,414

[22] Filed: May 9, 1985

[30] Foreign Application Priority Data

Nov. 9, 1984 [DE] Fed. Rep. of Germany 36892

[52] U.S. Cl. D14/53; D14/64; D14/60

[58] Field of Search D14/53, 56, 58, 63, D14/64; 179/179, 103, 101, 100 R, 100 D, 100 C

[56] References Cited

U.S. PATENT DOCUMENTS

D. 202,787	11/1965	Dreyfuss et al.	D14/56
D. 211,472	6/1968	Dreyfuss	D14/53
D. 211,738	7/1968	Dreyfuss	D14/53
D. 236,627	9/1975	Henshaw et al.	D14/63
D. 262,207	12/1981	Kaczkos	D14/63
D. 274,245	6/1984	Coons et al.	D14/63
D. 275,568	9/1984	Marshall	D14/63
D. 282,543	2/1986	Baum	D14/64
D. 282,742	2/1986	Baum	D14/63
D. 283,420	4/1986	Reichenstein	D14/53
D. 283,615	4/1986	Dupree	D14/59
D. 283,707	5/1986	Goodin et al.	D14/56

OTHER PUBLICATIONS

B. A. Pargh Co. Inc. Catalog ©1983: at p. 24, Sanyo Model TH1015 Handset; p. 2, ITT "Treadline"; p. 4, GTE Styleline; p. 8, Tele Concepts Thin Fone, p. 20, Roam Phone; Copy-Group 290 Art Unit 291.



Primary Examiner—Wallace R. Burke
Assistant Examiner—Horace B. Fay
Attorney, Agent, or Firm—Oblon, Fisher, Spivak, McClelland & Maier

[57] CLAIM

The ornamental design for a handset telephone and stand unit, as shown and described.

DESCRIPTION

FIG. 1 is a left side, top and front end perspective view of a handset telephone and stand unit in cradled position showing my new design;
FIG. 2 is a left side elevational view thereof;
FIG. 3 is a bottom plan view thereof;
FIGS. 4 and 5 are respectively front and rear elevational views thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a left side elevational view of the handset telephone positioned above a left side elevational view of the stand thereof;
FIG. 8 is a bottom, left side and front perspective view of the handset positioned above a left side, top and front perspective view of the stand.
The cord is shown in solid and broken lines for facility of illustration and to indicate indeterminate length.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 8




FIG. 7