

[54] FLUORESCENT LAMP

0044958 3/1982 Japan 313/493

[75] Inventors: Masakatsu Suzuki, Kamakura; Fuminobu Takizawa; Hitoshi Yamazaki, both of Yokohama, all of Japan

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Oblon, Fisher, Spivak, McClelland & Maier

[73] Assignee: Mitsubishi Denki Kabushiki Kaisha, Tokyo, Japan

[57] CLAIM

The ornamental design for a fluorescent lamp, substantially as shown and described.

[**] Term: 14 Years

DESCRIPTION

[21] Appl. No.: 632,110

FIG. 1 is a front elevational view of a fluorescent lamp showing our new design;

[22] Filed: Jul. 18, 1984

FIG. 2 is a left side elevational view thereof;

[30] Foreign Application Priority Data

Jan. 18, 1984 [JP] Japan 59-1179

Jun. 29, 1984 [JP] Japan 59-26773

Jun. 29, 1984 [JP] Japan 59-26774

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is an enlarged cross-sectional view taken along line 6—6 of FIG. 4;

[52] U.S. Cl. D26/3

[58] Field of Search D26/1, 2, 3; 313/313, 313/315, 317, 318, 493; 315/52, 53, 56, 57, 58, 59, 62; 362/216

FIG. 7 is a front elevational view of a second embodiment;

FIG. 8 is a left side elevational view thereof;

FIG. 9 is a right side elevational view thereof;

FIG. 10 is a top plan view thereof;

FIG. 11 is a bottom plan view thereof;

FIG. 12 is an enlarged cross-sectional view taken along line 12—12 of FIG. 10;

FIG. 13 is a front elevational view of a third embodiment;

FIG. 14 is a left side elevational view thereof;

FIG. 15 is a right side elevational view thereof;

FIG. 16 is a top plan view thereof;

FIG. 17 is a bottom plan view thereof; and

FIG. 18 is an enlarged cross-sectional view taken along line 18—18 of FIG. 16.



[56] References Cited

U.S. PATENT DOCUMENTS

- D. 248,593 7/1978 Oster D26/3
- 3,501,662 3/1970 Plagge 313/493
- 4,298,822 11/1981 Fukuda 313/318 X
- 4,300,073 11/1981 Skwirut et al. 313/493 X
- 4,347,460 8/1982 Latassa et al. 315/57 X

FOREIGN PATENT DOCUMENTS

- 0061758 10/1982 European Pat. Off. 313/493
- 212435 4/1962 Japan D26/3






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

FIG. 7




FIG. 8




FIG. 9





FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18