# United States Patent [19]

## Reid et al.

Patent Number: Des. 287,297 [11]

Date of Patent: \*\* Dec. 16, 1986 [45]

[54]	DRYER F	OR HAIR OR THE LIKE
[75]	Inventors:	Mary J. Reid, Sheboygan; John W.

Seaman, Sheboygan Falls, both of

Wis.

Kohler Co., Kohler, Wis. Assignee:

Term: 14 Years

Appl. No.: 655,450

Filed: Sep. 28, 1984

D28/99; D23/74, 77; 34/96–101; 132/1 R

[56] References Cited

### U.S. PATENT DOCUMENTS

D. 182,761	5/1958	Douglas	D28/12 X
D. 192,626	4/1962	McIntosh	D28/12
D. 200,685	3/1965	Johnson et al	D28/12
D. 203,918	2/1966	Nawroth	D28/19
D. 249,058	8/1978	Goldstein	D23/74
D. 265,514	7/1982	Abe et al.	D28/12
D. 273,141	3/1984	Webb	D28/13
D. 275,601	9/1984	Doman	D23/74
D. 265,514 D. 273,141	7/1982 3/1984	Abe et al	D28/1 D28/1

#### OTHER PUBLICATIONS

Design, 12/1962, p. 71-item 10, Hair Dryer & Mirror at bottom right.

"J C Penny Christmas 1984" catalog, p. 185 and cover page, admitted prior art.

One page flyer entitled "Norelco Wall Mount Hair

Dryer," dated 1983, admitted prior art, published by North American Phillips Corporation.

Two page flyer entitled "Andis HangUp 1200 Watt Hair Dryer," dated 1983, admitted prior art, published by Andis Company.

Primary Examiner—Louis S. Zarfas Attorney, Agent, or Firm—Quarles & Brady

[57]

### **CLAIM**

The ornamental design for a dryer for hair or the like, as shown and described.

#### DESCRIPTION

FIG. 1 is a top perspective view of a dryer for hair or the like showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;


FIG. 5 is a rear elevational view thereof;


FIG. 6 is a right side elevational view thereof;


FIG. 7 is a left side elevational view thereof; and


FIG. 8 is a right side elevational view of a second embodiment thereof, the other views of the second embodiment being identical to FIGS. 1-5 and 7 except that in views based on FIGS. 1, 3-5, and 7 the middle pistol shaped housing (the middle frustrum shaped housing with extension towards the point of the tear-drop shape) is removed.

The fragmentary broken line representations of holes in FIGS. 1-4 and 6-8 are for purposes of illustration only.












FIG. 7




FIG. 8