United States Patent [19]

Ohno

Patent Number: Des. 287,378

Date of Patent: ** Dec. 23, 1986

	[54]	RECONFI	GURABLE JET-PLANE TOY	
	[75]	Inventor:	Kouzin Ohno, Tokyo, Japan	
	[73]	Assignee:	Takara Co., Ltd., Tokyo, Japan	
	[**]	Term:	14 Years	
	[21]	Appl. No.:	655,327	
	[22]	Filed:	Sep. 27, 1984	
	[30]	[30] Foreign Application Priority Data		
May 25, 1984 [JP] Japan 59-21295				
[52] U.S. Cl				
	[52]	U.S. Cl		
			D21/150; D21/166	
	[58]		rch D21/59, 85, 87, 90,	
D21/166, 150, 131; D12/327; 446/71, 72, 80, 487				
	[56]		References Cited	
U.S. PATENT DOCUMENTS				
	D.	278.643 4/1	985 Ogawa D21/87	
			985 Boudreaux D21/87	
		•	985 Ohno	
		•	985 Ohno D21/166	
		-	985 Murakami D21/150	
Primary Examiner—Charles A. Rademaker				

Attorney, Agent, or Firm-Price, Gess & Ubell

[57] **CLAIM**

The ornamental design for a reconfigurable jet-plane toy, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a reconfigurable jet-plane toy showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof; FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a right side elevational view thereof, the side opposite being a mirror image;

FIG. 7 is a front perspective view of the design shown in FIGS. 1 through 6 in a tank configuration;

FIG. 8 is a front elevational view thereof;

FIG. 9 is a rear elevational view thereof;

FIG. 10 is a top plan view thereof;

FIG. 11 is a bottom plan view thereof;

FIG. 12 is a right side elevational view thereof, the side opposite being a mirror image;

FIG. 13 is a front perspective view of the design shown in FIGS. 1 through 6 in a robotic humanoid configuration;


FIG. 14 is a front elevational view thereof;

FIG. 15 is a rear elevational view thereof;

FIG. 16 is a top plan view thereof;

FIG. 17 is a bottom plan view thereof; and,

FIG. 18 is a right side elevational view thereof, the side opposite being a mirror image.






FIG. 2




FIG.3




FIG.4






FIG.5





U.S. Patent Dec. 23, 1986 Sheet 5 of 9 Des. 287,378

FIG.7




FIG.8







FIG.9



F I G. 10







F1G.12




FIG.13

