

[54] PULSE RECEIVER

[75] Inventors: Heikki Kiiski, Turku; Seppo Säynäjäkangas, Kempele; Martti Karppinen; Tapio Tammi, both of Oulu, all of Finland

[73] Assignee: Polar Electro KY, Kempele, Finland

[**] Term: 14 Years

[21] Appl. No.: 616,840

[22] Filed: Jun. 4, 1984

[52] U.S. Cl. D24/17; D10/31; D10/32; D24/21

[58] Field of Search D24/17, 21; D10/30, D10/31, 32, 38; 128/689, 690; 368/10, 113, 276, 281

[56] References Cited

U.S. PATENT DOCUMENTS

D. 269,546	6/1983	Rogers et al.	D24/17
4,009,708	3/1977	Fay, Jr.	128/690
4,038,976	8/1977	Hardy et al.	128/690

4,129,124	12/1978	Thalmann	128/690 X
4,185,621	1/1980	Morrow	128/690 X
4,224,948	9/1980	Cramer et al.	128/690
4,295,472	10/1981	Adams	128/690
4,409,983	10/1983	Albert	128/690

FOREIGN PATENT DOCUMENTS

32765	3/1978	Japan	128/690
-------	--------	-------------	---------


Primary Examiner—Catherine E. Kemper
Attorney, Agent, or Firm—Martin Smolowitz

[57] CLAIM

The ornamental design for a pulse receiver, as shown.

DESCRIPTION

FIG. 1 is a top plan view of a pulse receiver, showing our new design;
FIG. 2 is a side elevational view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is an elevational view of the side opposite that shown in FIG. 2;
FIG. 5 is a left end elevational view thereof;
FIG. 6 is a right end elevational view thereof.






Fig.1



Fig.2




Fig.3



Fig.4




Fig.5




Fig.6