

[54] HANDSET AND STAND TELEPHONE UNIT

[75] Inventors: Akira Sekiguchi, Tokyo; Hideaki Kodama, Sagamihara, both of Japan

[73] Assignee: Iwatsu Electric Co., Ltd., Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 678,874

[22] Filed: Dec. 6, 1984

[30] Foreign Application Priority Data

Aug. 28, 1984 [JP] Japan 59-35860
Aug. 28, 1984 [JP] Japan 59-35861

[52] U.S. Cl. D14/53; D14/58;
D14/62; D14/57

[58] Field of Search D14/52, 53, 56, 58,
D14/62, 63; 179/179, 100 R, 100 D, 100 C, 100
L, 101, 102, 103

[56] References Cited

U.S. PATENT DOCUMENTS

D. 254,436	3/1980	Bakal		D14/53
D. 260,643	9/1981	Foggia et al.		D14/60
D. 274,515	7/1984	Kraemer		D14/53
D. 274,959	8/1984	Glenbucki et al.		D14/53
D. 275,751	10/1984	Mohan		D14/53
D. 276,338	11/1984	Pando		179/53
D. 282,066	1/1986	Menei et al.		D14/62
D. 282,545	2/1986	Inagi		D14/62
D. 283,507	4/1986	Lluwe		D14/62

4,296,282 10/1981 O'Neil et al. D14/58
4,375,584 3/1983 Muzumdar et al. 179/99 R

Primary Examiner—Wallace R. Burke
Assistant Examiner—Horace B. Fay
Attorney, Agent, or Firm—Oblon, Fisher, Spivak,
McClelland & Maier

[57] CLAIM


The ornamental design for a handset and stand telephone unit, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a handset and stand telephone unit, showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a side elevational view thereof taken from the right side of FIG. 1;
FIG. 6 is a side elevational view thereof taken from the left side of FIG. 1;
FIG. 7 is a perspective view thereof; and
FIG. 8 is a perspective view thereof with the handset removed.

The broken line showing of keyboard garniture, which includes pushbuttons, light indicators, index, etc., in FIGS. 1, 2, 5, 6, 7, and 8 is for illustrative purposes only and forms no part of the claimed design.

In FIGS. 1, 3, 5, 6, 7 and 8, portions of the cord are shown in broken lines for facility of illustration and clarity of representation.






FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 7




FIG. 8

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D287,489

DATED : 12/30/86

INVENTOR(S) : AKIRA SEKIGUCHI ET AL

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page:

In the Foreign Application Priority Data, please change the following Serial Numbers "59-35860, 59-35861" to --59-35857, 59-35858, 59-35859--.

**Signed and Sealed this
Fifteenth Day of November, 1988**

Attest:

DONALD J. QUIGG

Attesting Officer

Commissioner of Patents and Trademarks