

[54] ELECTROPHOTOGRAPHIC COPIER

[75] Inventor: Nobuo Masaki, Tokyo, Japan

[73] Assignee: Canon Kabushiki Kaisha, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 626,991

[22] Filed: Jul. 2, 1984

[30] Foreign Application Priority Data

Jan. 7, 1984 [JP] Japan 59-127

[52] U.S. Cl. D16/31

[58] Field of Search D16/27-32;
355/3 R, 3 SH, 5-11, 14 R, 14 SH, 18-19,
44-45, 51, 54, 64-65

[56] References Cited

U.S. PATENT DOCUMENTS

D. 245,612	8/1977	Zeuthen	D16/31
D. 246,526	11/1977	Kurozumi	D16/31
D. 270,452	9/1983	Sakurai	D16/31
D. 280,205	8/1985	Okuyama	D16/31

D. 280,632	9/1985	Nakade	D16/31
D. 280,633	9/1985	Saito	D16/31
3,424,526	1/1969	Sacre	355/8
3,604,796	9/1971	Ogawa	355/14
3,672,762	6/1972	Suzuki	355/8
3,740,132	6/1973	Komori	355/8

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for an electrophotographic copier, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an electrophotographic copier showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a left side elevational view thereof;
FIG. 7 is a front and top-left perspective view thereof with the copy carriage positioned to the right.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

