

[54] **STORAGE AND DISPLAY FILE FOR
COMPUTER SOFTWARE FLOPPY DISCS**

[75] Inventor: Eugene M. Bernstein, Morton Grove, Ill.

[73] Assignee: Gene Bernstein & Associates, Inc., Niles, Ill.

[**] Term: 14 Years

[21] Appl. No.: 605,153

[22] Filed: Apr. 30, 1984

[52] U.S. Cl. D3/35; D19/76

[58] Field of Search D3/30.1, 33, 35, 72,
D3/73; D19/76; 206/444, 425, 387, 45.18, 472;
22/331

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 258,295	2/1981	Evenson	D19/76
D. 273,721	5/1984	Ronzani	D3/35
4,356,918	11/1982	Kahle et al.	206/444
4,478,335	10/1984	Long et al.	206/444
4,508,217	4/1985	Long et al.	206/444
4,546,898	10/1985	Ekuan	206/444

Primary Examiner—George P. Word


Attorney, Agent, or Firm—Mann, McWilliams, Zummer & Sweeney

[57] **CLAIM**

The ornamental design for a storage and display file for computer software floppy discs, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a storage and display file for computer software floppy discs showing my new design in its closed position;
FIG. 2 is a top plan view of FIG. 1;
FIG. 3 is a front elevational view of FIG. 1;
FIG. 4 is a bottom plan view of FIG. 1;
FIG. 5 is a side elevational view of FIG. 1, taken from the left hand side of same and of FIG. 2;
FIG. 6 is a side elevational view taken from the right hand side of FIG. 1 and FIG. 2;
FIG. 7 is a rear elevational view taken from the rear of FIG. 1 and the rear of FIG. 2;
FIG. 8 is a view similar to that of FIG. 1, but showing the storage and display file components relatively swung to the file open relation;
FIG. 9 is the same as FIG. 8 but with the front panel swung forward to full extent;
FIG. 10 is a top plan view of FIG. 8;
FIG. 11 is a front elevational view of FIG. 8;
FIG. 12 is a side elevational view of FIG. 8, taken from the left hand side of FIG. 8 and FIG. 11;
FIG. 13 is a side elevational view of FIG. 8, taken from the right hand side of FIG. 8 and of FIG. 11;
FIG. 14 is a bottom plan view of FIG. 8;
FIG. 15 is a rear elevational view of FIG. 8 and FIG. 11;
FIG. 16 is a rear perspective view with the storage and display file components relatively swung to a partially open position;
FIG. 17 is a top plan view of FIG. 16; and
FIG. 18 is a front elevational view of FIG. 17.






FIG. 1.

FIG. 2.




FIG. 3.




FIG 4




FIG 5




FIG 6




FIG 7




FIG. 8




FIG. 9




FIG-10-




FIG-11-




FIG-12-




FIG. 13




FIG. 14





FIG. 15






FIG. 16.

FIG. 17.




FIG. 18.

