

[54] **FLUID-POWERED HAND PUNCH**

[76] **Inventor: Michael J. Chouinard, 88 Milton St., Milton, Mass. 02186**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 572,214**

[22] **Filed: Jan. 19, 1984**

[52] **U.S. Cl. .... D8/61**

[58] **Field of Search ..... D8/61, 51; 30/358, 362, 30/DIG. 4**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 202,377	9/1965	Broske et al. ....	D8/61
2,140,214	12/1938	Temple, Jr. ....	30/358 X
2,374,400	4/1945	Westervelt ....	30/358
3,008,234	11/1961	Mattera ....	30/228
3,372,481	3/1968	Skinner ....	D8/61 X
4,063,412	12/1977	Bruzek ....	D8/61 X

**FOREIGN PATENT DOCUMENTS**

897355 10/1953 Fed. Rep. of Germany ..... 30/362

**OTHER PUBLICATIONS**

N.C.G. Co. advertising brochure for "Spotle T-575" Air Drill.

*Primary Examiner*—Susan J. Lucas

*Assistant Examiner*—C. E. Heflin


*Attorney, Agent, or Firm*—Bromberg, Sunstein & McGregor

[57] **CLAIM**


The ornamental design for a fluid-powered hand punch, substantially as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of the fluid-powered hand punch showing my new design with the power cord shown broken away to depict indeterminate length; FIG. 2 is an enlarged rear elevational view thereof; FIG. 3 is an enlarged end elevational view thereof; FIG. 4 is an enlarged front elevational view thereof; FIG. 5 is an enlarged side elevational view thereof, the opposite side being a mirror image.




*FIG. 2*




*FIG. 1*




*FIG. 3*





**FIG. 4**



**FIG. 5**