

[54] PROTECTOR HOUSING FOR TELECOMMUNICATION EQUIPMENT

[75] Inventors: Thomas J. Smith, Bay Shore; Michael A. Savona, Coram, both of N.Y.

[73] Assignee: TII Industries, Inc., Copiague, N.Y.

[\*\*] Term: 14 Years

[21] Appl. No.: 627,677

[22] Filed: Jul. 5, 1984

[52] U.S. Cl. .... D14/52; D13/40

[58] Field of Search ..... D14/52, 60, 62; 361/117, 118, 119; 179/179, 81 R, 186, 175.3 R, 175.3 F; 220/4 B; 361/380, 392, 393, 394, 395, 399, 356-358; 174/50, 52 R

[56] References Cited

U.S. PATENT DOCUMENTS

D. 225,013	10/1972	Stewart	.....	D13/40
D. 274,721	7/1984	Smith	.....	D13/40
D. 276,334	11/1984	Dickerson	.....	D13/35
D. 278,998	5/1985	Eckstedt et al.	.....	D13/35
2,063,099	12/1936	Loock	.....	361/357
3,140,344	7/1964	Slater et al.	.....	361/356
3,691,432	9/1972	Edfors et al.	.....	361/394
3,895,179	7/1975	Wyatt	.....	361/357
3,908,154	9/1975	Gryctko	.....	361/393
3,983,460	9/1976	Kuhn et al.	.....	361/357
4,063,110	1/1976	Glick	.....	361/357
4,101,023	7/1978	Schuander	.....	220/4 B
4,488,008	12/1984	Dellinger et al.	.....	179/81 R

4,500,862	2/1985	Shedd	.....	361/118
4,535,379	8/1985	DeLuca et al.	.....	361/119
4,542,358	9/1985	Roby	.....	361/118
4,546,874	10/1985	Kirchhan	.....	220/4 B
4,554,609	11/1985	Ruehl et al.	.....	361/119
4,560,839	12/1985	Dillard	.....	179/81 R
4,578,540	3/1986	Borg et al.	.....	179/81 R
4,584,624	4/1986	Hines	.....	361/119

Primary Examiner—Wallace R. Burke  
 Assistant Examiner—Horace B. Fay  
 Attorney, Agent, or Firm—Leonard W. Suroff

[57] CLAIM

The ornamental design for a protector housing for telecommunication equipment, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a protector housing for telecommunication equipment showing our new design;  
 FIGS. 2 and 3 are respectively top and bottom plan views thereof;  
 FIGS. 4 and 5 are respectively left and right side elevational views thereof;  
 FIG. 6 is a rear elevational view thereof;  
 FIG. 7 is a front elevational view thereof in opened position;  
 FIG. 8 is a front elevational view thereof in opened position, and with the compartment door thereto also open; and  
 FIG. 9 is an exploded bottom plan view thereof in separated, unhinged tandem relationship.




FIG. 1




FIG. 2





FIG. 3

FIG. 4




FIG. 5




FIG. 6




FIG. 7





FIG. 9

FIG. 8

