

[54] **BOOT HEEL PROTECTOR**

[76] **Inventor: James R. Strickland, 4125 S. 570 E. 16L, Salt Lake City, Utah 84107**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 617,484**

[22] **Filed: Jun. 5, 1984**

[52] **U.S. Cl. .... D2/277; D2/314**

[58] **Field of Search ..... D2/277, 314, 315, 317; 36/71.5, 72 R, 72 B**

3,851,412 12/1974 Voegele ..... 36/72 B

**FOREIGN PATENT DOCUMENTS**

34820 10/1908 Austria ..... 36/72 B  
2530430 1/1984 France ..... 36/72 B  
24157 12/1893 United Kingdom ..... 36/72 B

*Primary Examiner*—Nelson C. Holtje  
*Attorney, Agent, or Firm*—Robert C. Dorr

[57] **CLAIM**

The ornamental design for a boot heel protector, as shown and described.


[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 242,090	11/1976	Wilson	.....	D2/277
D. 272,104	1/1984	Campbell	.....	D2/277
D. 278,184	4/1985	Cross	.....	D2/277
638,879	12/1899	Packard	.....	D2/277 X
1,458,497	6/1923	Perkins	.....	36/7.6
1,620,401	3/1927	Smock	.....	36/72 B
1,770,261	7/1930	Barthes	.....	36/72 B
1,830,912	11/1931	Ramey	.....	36/72 B
1,869,988	8/1932	Vellner	.....	36/72 B
3,104,479	9/1963	D'Amico	.....	36/72 B
3,783,534	1/1974	Phillips	.....	36/72 R

**DESCRIPTION**

FIG. 1 is a left rear perspective view of a boot heel protector showing my new design, the broken-line showing of a boot being environmental only and forming no part of the claimed design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a right side elevational view thereof;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a front elevational view thereof;  
FIG. 6 is a rear elevational view thereof.  
The broken-lines showing slots in all figures are environmental only and form no part of the claimed design.






Fig. 1

Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

