

United States Patent [19]

Nilsson et al.

[11] Patent Number: Des. 287,749

[45] Date of Patent: ** Jan. 13, 1987

[54] TRAVELLING CARRIER FOR HEATING ELEMENTS IN A PAINT SPRAY BOOTH

[75] Inventors: Hans-Erik Nilsson, Henån; Åke Carlsson, Trollhättan, both of Sweden

[73] Assignee: Infrarodteknik AB, Vänersborg, Sweden

[**] Term: 14 Years

[21] Appl. No.: 585,224

[22] Filed: Feb. 28, 1984

[30] Foreign Application Priority Data

Sep. 3, 1983 [DE] Fed. Rep. of Germany URA 1024-83

[52] U.S. Cl. D23/77

[58] Field of Search D23/77; 34/243 C, 39, 34/68; D15/199

[56] References Cited

U.S. PATENT DOCUMENTS

4,136,463 1/1979 Nolan et al. 34/39
4,416,068 11/1983 Nilsson et al. 34/39
4,461,094 7/1984 Schalke 34/39
4,546,553 10/1985 Best 34/243 C

FOREIGN PATENT DOCUMENTS

2153507 8/1985 United Kingdom 34/243 C

Primary Examiner—B. J. Bullock

Attorney, Agent, or Firm—Browdy and Neimark

[57] CLAIM

The ornamental design for a travelling carrier for heating elements in a paint spray booth, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a travelling carrier for heating elements in a paint spray booth showing our new design;

FIG. 2 is a reduced side elevational view thereof, both sides being identical;


FIG. 3 is a top plan view thereof;

FIG. 4 is a front elevational view thereof, the rear being identical;

FIG. 5 is a front perspective view in a position of operation;

FIG. 6 is a top plan view of FIG. 5.

The heating elements which are partially shown in FIG. 1 on the underside surface of the carrier are understood to be arranged in threes as shown on the side walls along both sides of the center.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6