

[54] **CRIMPING TOOL**

[75] **Inventors: Jan O. Hägg, Stenhamra; Lars-Olov Persson, Älvdalen, both of Sweden**

[73] **Assignee: Pressmaster Tool AB, Älvdalen, Sweden**

[**] **Term: 14 Years**

[21] **Appl. No.: 579,961**

[22] **Filed: Feb. 14, 1984**

[52] **U.S. Cl. D8/51**

[58] **Field of Search D8/42, 51-56, D8/60, 98, 99, 101-107; 72/410; 81/342, 420, 9.4-9.44, 300, 407, 408, 413-416, 436; 29/247, 248, 268; 7/107; 30/90.1, 90.2, 90.4, 91.1, 91.2**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 245,752 9/1977 Wiener D8/52

| | | | | |
|-----------|---------|---------------|-------|----------|
| 1,675,838 | 7/1928 | Bernard | | 81/9.44 |
| 3,354,692 | 11/1967 | Morris | | 72/410 X |
| 4,353,240 | 10/1982 | Undin et al. | | 81/417 X |
| 4,381,661 | 5/1983 | Wiener et al. | | 81/418 X |

Primary Examiner—Susan J. Lucas
Assistant Examiner—C. E. Heflin
Attorney, Agent, or Firm—Fleit, Jacobson, Cohn & Price

[57] **CLAIM**

The ornamental design for a crimping tool, substantially as shown.

DESCRIPTION

FIG. 1 is a side elevation of a crimping tool showing our new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a side elevation thereof but taken from the opposite side to FIG. 1;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a front end elevation thereof;
FIG. 6 is a rear end elevation thereof.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

