

[54] AUTOMOBILE TIRE

[75] Inventor: Toshio Koyama, Fukushima, Japan

[73] Assignee: Sumitomo Rubber Industries, Ltd.,
Kobe, Japan

[**] Term: 14 Years

[21] Appl. No.: 611,079

[22] Filed: May 17, 1984

[30] Foreign Application Priority Data

Mar. 28, 1984 [JP] Japan 59-12269

[52] U.S. Cl. D12/146

[58] Field of Search D12/136, 137, 140-143,
D12/146-151; 152/209 R, 209 D, 209 B

[56] References Cited

U.S. PATENT DOCUMENTS

D. 262,202 12/1981 Hammond et al. D12/147

OTHER PUBLICATIONS

1983 Tread Design Guide, p. 153, Bridgestone V-Steel Rib 180 Tire, second row down from top & second tire in from left side.

Tire Review, 10/1982, p. 18, Kelly KDM Tire.

Modern Tire Dealer, 8/1983, p. 39, Toyo Tire, center left side of page.

Primary Examiner—James M. Gandy

Attorney, Agent, or Firm—Cushman, Darby & Cushman

[57] CLAIM

The ornamental design for an automobile tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an automobile tire showing my new design, it being understood that the tread pattern is repeated throughout the circumference of the tire;

FIG. 2 is an end elevational view thereof; and

FIG. 3 is a side elevational view of the side shown, the opposite side being a mirror image thereof.




FIG. 1




FIG. 2




FIG. 3

