

[54] COMBINATION MASTER UNIT AND REMOTE UNIT COMMUNICATION SET

[75] Inventor: John S. Yuen, Kowloon, Hong Kong

[73] Assignee: John Manufacturing Limited, Kowloon, Hong Kong

[**] Term: 14 Years

[21] Appl. No.: 643,555

[22] Filed: Aug. 23, 1984

[30] Foreign Application Priority Data

Apr. 4, 1984 [GB] United Kingdom 1018905

[52] U.S. Cl. D14/52; D14/92; D14/60; D14/30; D14/37; D14/58

[58] Field of Search D14/52, 59, 60, 61, D14/62, 92, 96, 56; 179/179, 2 EA, 100 R, 100 C, 100 D, 100 L, 101

[56] References Cited

U.S. PATENT DOCUMENTS

D. 243,536	1/1977	van de Poel	D14/57
D. 244,145	4/1977	Bliven	D14/53
D. 244,209	5/1977	Bliven	D14/53
D. 247,174	2/1978	Janda	D14/57
D. 259,196	5/1981	Pardo	D14/53
D. 261,761	11/1981	Ingebor et al.	D14/64
D. 275,752	10/1984	Mahan	D14/52
D. 275,753	10/1984	Mahan	D14/52
D. 280,403	9/1985	Mitchell	D14/53
D. 282,166	1/1986	Yuen	D14/64
D. 282,179	1/1986	Yuen	D19/76
D. 283,126	3/1986	Marshall	D14/53

Primary Examiner—Wallace R. Burke
Assistant Examiner—Horace B. Fay
Attorney, Agent, or Firm—Beall Law Offices

[57] CLAIM

The ornamental design for combination master unit and remote unit communication set, as shown and described.

DESCRIPTION

FIG. 1 is a right side elevational view of the master unit of a combination master unit and remote unit communication set showing my new design;

FIG. 2 is a front elevational view of the master unit thereof;

FIG. 3 is a rear elevational view of the master unit thereof;

FIG. 4 is a bottom plan view of the master unit thereof;

FIG. 5 is a top plan view of the master unit thereof;

FIG. 6 is a right side elevational view of the remote unit thereof;

FIG. 7 is a front elevational view of the remote unit thereof;

FIG. 8 is a rear elevational view of the remote unit thereof;

FIG. 9 is a bottom plan view of the remote unit thereof;

FIG. 10 is a top plan view of the remote unit thereof; and

FIG. 11 is a front, top and right side perspective view from above of the associated individual units of the communication set.

The master and remote units of the combination are shown separately in FIGS. 1-10 for convenience of illustration and clarity of representation.





FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5.




FIG. 6.




FIG. 7.




FIG. 8.




FIG. 9.





FIG. 10.






FIG. 11