

[54] **COMBINED HOLDER FOR KEYS AND PROTECTIVE SPRAY**

[76] **Inventor:** Armin Rüttinger, Bergwaldweg 6, D-8999 Scheidegg, Fed. Rep. of Germany

[**] **Term:** 14 Years

[21] **Appl. No.:** 626,293

[22] **Filed:** Jul. 9, 1984

[30] **Foreign Application Priority Data**

Jan. 11, 1984 [DE] Fed. Rep. of Germany MRIV/3941

[52] **U.S. Cl.** D22/117; D3/62

[58] **Field of Search** D3/61-65; D22/1, 3; 42/1 G

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 180,425	6/1957	Schwartz	D3/63
D. 273,049	3/1984	Lam et al.	D3/64
D. 274,287	6/1984	Brookshire et al.	D22/1
3,109,253	11/1963	Eig	D22/1
3,707,793	1/1973	Holton	42/1 G

4,223,804 9/1980 Morris et al. 42/1 G

Primary Examiner—George P. Word
Attorney, Agent, or Firm—Bachman & LaPointe

[57] **CLAIM**

The ornamental design for a combined holder for keys and protective spray, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combined holder for keys and protective spray showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a right side elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a top plan view thereof; FIG. 8 is a front elevational view of another embodiment thereof wherein an expandable strap is included on the left side; FIG. 9 is a right side elevational view thereof; FIG. 10 is a rear elevational view thereof, with the strap in the expanded condition; FIG. 11 is a left side elevational view thereof; and FIG. 12 is a top plan view of FIG. 8.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




FIG-8




FIG-9




FIG-10




FIG-11




FIG-12

