

[54] COMPUTERIZED MULTIPLE FUNCTION BICYCLE METER

[75] Inventor: Sadaharu Tsuyama, Osaka, Japan

[73] Assignee: Tsuyama Mfg. Co., Ltd., Japan

[**] Term: 14 Years

[21] Appl. No.: 602,620

[22] Filed: Apr. 20, 1984

[30] Foreign Application Priority Data

Nov. 9, 1983 [JP] Japan 58-48765

[52] U.S. Cl. D10/98

[58] Field of Search D10/2, 15, 30, 38, 75, D10/78, 96-103; 235/95 R, 96, 103; 377/82, 89-90; 116/62.1; 368/10, 110-113; 200/38

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 113,794 3/1939 Shafer D10/96
- D. 235,743 7/1975 Izenzon D10/97
- D. 237,260 10/1975 Innes D10/30
- D. 238,936 2/1976 Miyata D10/30
- D. 243,748 3/1977 Krause D10/40
- D. 263,452 3/1982 Wada D10/38

- D. 276,707 12/1984 Segan D10/98
- D. 278,210 4/1985 Tsuyama D10/98 X
- 3,768,247 10/1973 Fujita D10/38 X
- 3,822,547 7/1974 Fujita D10/38 X

OTHER PUBLICATIONS

American Bicyclist & Motor Cyclist-7/83-p. 25, Sanyo Radio Clock Bike Pacer at center-Rt.

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Allegretti, Newitt, Witcoff & McAndrews, Ltd.

[57] CLAIM

The ornamental design for a computerized multiple function bicycle meter, as shown and described.

DESCRIPTION

FIG. 1 is a right front perspective view of a computerized multiple function bicycle meter showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a rear elevational view thereof;

FIG. 7 is a left side elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

