

[54] COMBINED SHELTER AND COMFORT UNIT

FOREIGN PATENT DOCUMENTS

1326537 4/1963 France 135/120
456325 4/1950 Italy 135/904

[76] Inventors: Daryl R. James; Donald T. James, both of 2026 S. Hammond #315, Tempe, Ariz. 85282

Primary Examiner—A. Hugo Word
Attorney, Agent, or Firm—Don J. Flickinger; Jordan M. Meschkow

[**] Term: 14 Years

[57] CLAIM

The ornamental design for a combined shelter and comfort unit, as shown and described.

[21] Appl. No.: 598,417

DESCRIPTION

[22] Filed: Apr. 9, 1984

FIG. 1 is a perspective view of a combined shelter and comfort unit showing our new design therefore; FIG. 2 is front elevation view of the unit thereof; FIG. 3 is an elevational view of the right hand side of the unit, it being understood that the left hand side is a mirror image thereof; FIG. 4 is a reduced scale bottom plan view of the unit; FIG. 5 is a perspective view of an alternate shelter and comfort unit embodying our new design concept; FIG. 6 is a front elevation view of the unit of FIG. 5, a portion thereof being broken away; FIG. 7 is a right hand side elevation view of the unit of FIG. 5, the left hand elevation view being a mirror image thereof; and FIG. 8 is a reduced scale bottom plan view.


[52] U.S. Cl. D25/56; D3/5; D3/30.1; D21/253; D25/16

[58] Field of Search D25/1, 7, 16, 32, 33, D25/56; D21/253; 135/116, 118, 109, 91, 102, 95, 904, 900, 120, 119, 902; D3/5, 30.1

[56] References Cited

U.S. PATENT DOCUMENTS

2,531,501 11/1950 Cline 135/102
2,543,597 2/1951 Peery 135/95
2,619,101 11/1952 McGerry et al. 135/109 X
2,628,797 2/1953 Campomar 135/118 X
4,272,575 6/1981 Egigian 135/116 X






FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 8




FIG. 7