

[54] HANGING ORNAMENT

[76] Inventor: Edward A. Nienhuis, 2088 Harvest Drive, Mississauga, Ontario, Canada, L4Y 1T6

[**] Term: 14 Years

[21] Appl. No.: 577,237

[22] Filed: Feb. 6, 1984

[30] Foreign Application Priority Data

Aug. 18, 1983 [CA] Canada 18-08-83-8

[52] U.S. Cl. D11/133; D11/81; D11/125

[58] Field of Search D11/131, 157, 117, 121, D11/125-128, 44, 48, 81; D2/30, 208; 428/7-9, 11-16

[56] References Cited

U.S. PATENT DOCUMENTS

D. 265,386 7/1982 Breyer D11/81 X
D. 272,330 1/1984 Breyer-Lindner D11/133

OTHER PUBLICATIONS

Men's Wear, 2/20/53, p. 39-No. 10, Combed Terry at bottom.

Sporting Goods Dealer, 9/1982, p. 116-Uniform at top center.

Primary Examiner—Louis S. Zarfes
Attorney, Agent, or Firm—Donald E. Hewson

[57] CLAIM

The ornamental design for a hanging ornament, as shown and described.

DESCRIPTION


FIG. 1 is a front elevational view of a hanging ornament showing my new design, a characteristic feature of which resides in the exaggerated shoulder width;

FIG. 2 is a front elevational view of a hanging ornament showing a second embodiment of my new design, a characteristic feature of which is the exaggerated shoulder width;

FIG. 3 is a front elevational view of a hanging ornament showing a third embodiment; of my new design, a characteristic feature of which is the exaggerated shoulder width; and

FIG. 4 is a front elevational view of a hanging ornament showing a fourth embodiment of my new design, a characteristic feature of which is the exaggerated shoulder width.

The rear views are identical save for the neckline, and the articles are flat goods with no substantial thickness.






FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.