

[54] **TIRE**

[75] **Inventor: Bill J. Wallet, Marshallville, Ohio**

[73] **Assignee: The Firestone Tire & Rubber Company, Akron, Ohio**

[**] **Term: 14 Years**

[21] **Appl. No.: 673,065**

[22] **Filed: Nov. 19, 1984**

[52] **U.S. Cl. D12/147**

[58] **Field of Search D12/146-151, D12/136, 137, 140; 152/209 R, 209 D**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 238,061	12/1975	Welsdorf	D12/148
D. 238,486	1/1976	Candiliotis	D12/143
D. 261,497	10/1981	Baus et al.	D12/147
D. 261,878	11/1981	Baus et al.	D12/147
D. 262,102	12/1981	Baus et al.	D12/147

FOREIGN PATENT DOCUMENTS

2948479 6/1981 Fed. Rep. of Germany .

OTHER PUBLICATIONS

1984 Tread Design Guide 14 p. 62, Samyang Steel Belted Radial 761 Tire.

1984 Tread Design Guide-p. 43, Kelly-Springfield Charger 65 Tire.

Qualifier H Tire-photocopy of clipping from Modern Tire Dealer-Oct. 1984, p. 47.


Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Ernst H. Ruf

[57] **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire embodying my new design, it being understood that the pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown. FIG. 2 is a front elevational view thereof. FIG. 3 is a side elevational view thereof.






FIG. 1




FIG. 2




FIG. 3