

[54] TWO-COMPONENT AUDIOMETER DESK
[75] Inventors: Ludwig M. Moser, Estenfeld; Anton Kammermeier, Welden, both of Fed. Rep. of Germany

D. 233,043 10/1974 Pycha D14/103
D. 233,862 12/1974 Nelson D24/1.1
D. 239,030 3/1976 Genaro et al. D6/422 X
D. 247,811 5/1978 Moeckl D14/103
4,449,762 5/1984 Turner 312/194 X
4,458,961 7/1984 Browning 312/194 X

[73] Assignee: Westra Electronic GmbH, Welden, Fed. Rep. of Germany

Primary Examiner—A. Hugo Word
Assistant Examiner—Stella M. Reid
Attorney, Agent, or Firm—Weingarten, Schurgin, Gagnebin & Hayes

[**] Term: 14 Years

[21] Appl. No.: 637,203

[22] Filed: Aug. 2, 1984

[57] CLAIM

[30] Foreign Application Priority Data

The ornamental design for a two-component audiometer desk, as shown.

Feb. 15, 1984 [DE] Fed. Rep. of Germany 4280

[52] U.S. Cl. D24/1.1; D14/103; D6/426

DESCRIPTION


[58] Field of Search D24/1.1, 2; D14/100, D14/102, 103; D6/396, 420, 422, 426, 428; 312/209, 194, 195, 196; 73/585

FIG. 1 is a perspective view of a two-component audiometer desk embodying our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a right side elevational view thereof; and FIG. 7 is a left side elevational view thereof.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 218,760 9/1970 Jelinek et al. D14/103 X






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7