

[54] **DESK TELEPHONE SET**

[75] **Inventors: James T. Asaki; Robert L. Gault,**  
both of Raleigh, N.C.

[73] **Assignee: ITT Corporation, New York, N.Y.**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 783,996**

[22] **Filed: Oct. 4, 1985**

[52] **U.S. Cl. .... D14/53; D14/62;**  
D14/66

[58] **Field of Search ..... D14/52-67;**  
D19/87, 75; 179/179, 178, 100 R, 100 D, 100  
C, 101, 90 K

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 229,837	1/1974	Genaro et al. ....	D14/53
D. 258,880	4/1981	Blomberg .....	D14/53
D. 259,419	6/1981	Carter .....	D14/53
D. 265,401	7/1982	Genaro et al. ....	D14/53
D. 265,734	8/1982	Mahan .....	D14/53
D. 270,155	8/1983	Shimizin .....	D14/53
D. 279,778	7/1985	Stoddard .....	D14/53
D. 284,003	5/1986	Tamura .....	D14/53
D. 284,467	7/1986	Baba et al. ....	D14/52
1,122,615	12/1914	Krupp .....	D14/66
4,598,175	7/1986	Read .....	179/100 C

**OTHER PUBLICATIONS**

U.K. Post Office Elect. Eng's Journal, POEEJ, vol. 74, Jul. 1981; at p. 70, showing of Press Button Telephone.

*Primary Examiner*—Wallace R. Burke

*Assistant Examiner*—Horace B. Fay

*Attorney, Agent, or Firm*—John T. O'Halloran; Thomas F. Meagher

[57] **CLAIM**

The ornamental design for a desk telephone set, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, top and right side perspective view of a desk telephone set showing our new design;

FIG. 2 is a top plan view thereof;



FIGS. 3 and 4 are, respectively, front and rear elevational views thereof;

FIGS. 5 and 6 are, respectively, left and right side elevational views thereof;

FIG. 7 is a bracketed top plan view of the stand and a bottom plan view of the receiver of the set, shown in associated relationship;

FIGS. 8 and 9 are, respectively, front and rear elevational views of the stand alone; and

FIG. 10 is a perspective view of a second embodiment represented in the stand alone, taken from above and turned 180 degrees from the view shown in FIG. 1; it being understood that the second embodiment is substantially identical to the first, the sole difference being four small rectangular buttons shown within a larger rectangular panel above the pushbutton dial pattern, whereas the corresponding panel above the dial in FIG. 1 of the first embodiment is vacant.






FIG. 1




FIG. 10




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 8




FIG. 9




FIG. 7