

[54] RECONFIGURABLE SKULL TOY

[75] Inventor: Masayuki Koshikawa, Tokyo, Japan

[73] Assignee: Kabushikigaisha Marukoshi, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 669,241

[22] Filed: Nov. 7, 1984

[52] U.S. Cl. D21/150

[58] Field of Search D21/190, 166, 128, 76, D21/148, 160; 446/71, 72, 73, 74, 75, 77, 78

[56] References Cited

U.S. PATENT DOCUMENTS

D. 79,052	7/1929	Vigneau	D21/190
129,086	7/1872	Bena	446/391
D. 247,055	1/1978	Behling et al.	D21/190
D. 284,491	7/1986	Ohno	D21/150

OTHER PUBLICATIONS

Dessart catalog-1967, p. 2, Skeleton Mask.
Halco, 1970 catalog, p. 12, Skeleton Mask.

Primary Examiner—Charles A. Rademaker
Attorney, Agent, or Firm—Schwartz, Jeffery, Schwaab,
Mack, Blumenthal & Evans

[57] CLAIM

The ornamental design for a reconfigurable skull toy, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a reconfigurable skull toy showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a left side elevational view thereof;
FIG. 8 is a perspective view of the design shown in FIGS. 1 through 7 in a reconfigured position;
FIG. 9 is a front elevational view thereof;
FIG. 10 is a rear elevational view thereof;
FIG. 11 is a top plan view thereof;
FIG. 12 is a bottom plan view thereof;
FIG. 13 is a right side elevational view thereof;
FIG. 14 is a left side elevational view thereof;
FIG. 15 is another perspective view of the design shown in FIGS. 1 through 7 in a second reconfigured position;
FIG. 16 is a front elevational view thereof;
FIG. 17 is a rear elevational view thereof;
FIG. 18 is a top plan view thereof;
FIG. 19 is a bottom plan view thereof;
FIG. 20 is a right side elevational view thereof;
FIG. 21 is a left side elevational view thereof;
FIG. 22 is another perspective view of the design shown in FIGS. 1 through 7 in a third reconfigured position;
FIG. 23 is a front elevational view thereof;
FIG. 24 is a rear elevational view thereof;
FIG. 25 is a top plan view thereof;
FIG. 26 is a bottom plan view thereof;
FIG. 27 is a right side elevational view thereof;
FIG. 28 is a left side elevational view thereof;
FIG. 29 is another perspective view of the design shown in FIGS 1 through 7 in a fourth reconfigured position;
FIG. 30 is a front elevational view thereof;
FIG. 31 is a rear elevational view thereof;
FIG. 32 is a top plan view thereof;
FIG. 33 is a bottom plan view thereof;
FIG. 34 is a right side elevational view thereof; and,
FIG. 35 is a left side elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 6




FIG. 5




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 13




FIG. 12




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 20




FIG. 19




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 27




FIG. 26




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 34




FIG. 33




FIG. 35

