United States Patent [19]

Hengesbach

[11] Patent Number: Des. 288,838

Date of Patent: ** Mar. 17, 1987

[54]	SPRAYING WAND			
[76]	Inventor:	Robert W. Hengesbach, 7886 Mentor Rd., Mentor, Ohio 44060		
[**]	Term:	14 Years		
[21]	Appl. No.:	605,648		
[52]	U.S. Cl	Apr. 30, 1984 D23/35 The control of the control o		
[56]	[56] References Cited			
U.S. PATENT DOCUMENTS				
D.	141,623 6/1	945 Thompson D23/35		

	•	
D. 141,623	6/1945	Thompson
D. 230,152		Froehlke D23/34
D. 234,845	4/1975	Davis D23/17
D. 270,368	8/1983	Grime
•	10/1894	Cadwell .
994,780	6/1911	Olney .
1,988,979	1/1935	Campbell .
2,125,573	8/1938	Kelley, Jr.
2,302,799	11/1942	Peterson.
2,544,558	3/1951	MacGregor 239/568 X
2,577,465	12/1951	Jones et al
3,032,929	3/1961	Glesener.
3,038,668	6/1962	Handberg 239/568 X
3,447,753	6/1969	Proctor et al
3,727,841	4/1973	Hengesbach .
4,369,607	1/1983	Bruggeman et al
4,471,911	9/1984	Hengesbach .
4,494,699	1/1985	Hengesbach .

FOREIGN PATENT DOCUMENTS

1177968 4/1959 France. 285398 12/1952 Switzerland.

OTHER PUBLICATIONS

Brochure, Tri-Con, Inc., 4 pages, dated 1/1/1977, entitled: We Make the System.

Brochure, Spraying Systems Co., Catalog 27, 90 pages, 1978, entitled Spray Nozzles and Accessories.

Brochure, Spraying Systems Co., Bulletin 179F, 8 pages, 1971, entitled Spray Nozzles, Spray Guns, Valves and Accessories.

Primary Examiner—James R. Largen Attorney, Agent, or Firm—David A. Burge

[57] CLAIM

[45]

The ornamental design for a spraying wand, as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of a spray wand showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is an enlarged forshortened side elevational view taken from plane 4—4 of FIG. 2;

FIG. 5 is an enlarged forshortened side elevational view taken from plane 5—5 on FIG. 2;

FIG. 6 is an enlarged forshortened side elevational view taken from plane 6—6 on FIG. 2;

FIG. 7 is an enlarged forshortened side elevational view taken from plane 7—7 on FIG. 2;

FIG. 8 is a cross sectional view taken on line 8—8 of FIG. 4;

FIG. 9 is a cross sectional view taken on line 9—9 of FIG. 4;

FIG. 10 is a cross sectional view taken on line 10—10 of FIG. 4;

FIG. 11 is a side elevational view of a modified form of the spray wand shown in FIG. 1;

FIG. 12 is an enlarged forshortened perspective view of FIG. 11;

FIG. 13 is a plan view taken from plane 13—13 on FIG. 11;

FIG. 14 is a plan view taken from plane 14—14 on FIG. 11;

FIG. 15 is an enlarged forshortened side elevational view taken from plane 15—15 on FIG. 13;

FIG. 16 is an enlarged forshortened side elevational view taken from plane 16—16 on FIG. 11;

FIG. 17 is an enlarged forshortened side elevational

view taken from plane 17—17 on FIG. 13; FIG. 18 is an enlarged forshortened side elevational

view taken from plane 18—18 on FIG. 13;

FIG. 19 is a cross sectional view taken on line 19—19 of FIG. 15;

FIG. 20 is a cross sectional view taken on line 20—20 of FIG. 15;

FIG. 21 is a cross sectional view taken on line 21—21 of FIG. 15.

It is to be understood that the connecting tube has been broken away in FIGS. 4 through 7, 11 and 15 through 18 for convenience of illustration.







