

[54] COMBINED AUTOMOBILE TAILLIGHT LENS AND COVER

[75] Inventor: Yoshiro Kobata, Isehara, Japan

[73] Assignee: Nissan Motor Co., Ltd., Yokohama, Japan

[**] Term: 14 Years

[21] Appl. No.: 642,893

[22] Filed: Aug. 21, 1984

[30] Foreign Application Priority Data

Aug. 22, 1983 [JP] Japan 58-36518

[52] U.S. Cl. D26/120; D26/35

[58] Field of Search D26/28-36, D26/118-124; 362/61, 80, 81, 82, 83, 326, 329-340, 309

[56] References Cited

U.S. PATENT DOCUMENTS

D. 252,352 7/1979 Cameron D26/122

D. 271,143 10/1983 Hirakawa D26/120

D. 279,929 7/1985 Teague et al. D26/122

Primary Examiner—Susan J. Lucas

Attorney, Agent, or Firm—Schwartz, Jeffery, Schwaab, Mack, Blumenthal & Evans

[57] CLAIM

The ornamental design for a combined automobile taillight lens and cover, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combined automobile taillight lens and cover showing the new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side elevation view thereof; and

FIG. 6 is a right side elevation view thereof.

The taillight housing is shown in broken lines in FIGS. 1, 3, 4 and 6 for illustrative purposes only.

The prismatic cross-hatching shown on the rear surfaces of the three lenses in FIG. 6 is understood to continue uniformly across the rear surfaces of the lenses.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

