

- [54] **SUPPORT FOR BOOTS OR THE LIKE**
- [76] **Inventors:** Corwin D. Wagner, 17718 Spruce Way; Bradford L. Kropp, 20706-53rd W., both of Lynnwood, Wash. 98036
- [**] **Term:** 14 Years
- [21] **Appl. No.:** 650,974
- [22] **Filed:** Sep. 13, 1984

Related U.S. Application Data

- [63] Continuation-in-part of Ser. No. 483,008, Apr. 6, 1983, abandoned.
- [52] **U.S. Cl.** D6/320; D6/327
- [58] **Field of Search** D6/320, 327, 569, 567; 211/34, 35, 87; D8/373

References Cited

U.S. PATENT DOCUMENTS

D. 90,548	8/1933	Perry et al.	D6/320
2,017,413	10/1935	La Mort	211/35
2,284,552	5/1942	Arenz	211/35
2,412,847	12/1946	Van Tilburg	211/35
4,566,597	1/1986	Caputo et al.	211/87

Primary Examiner—B. J. Bullock
Attorney, Agent, or Firm—Ward Brown; Robert W. Beach

[57] **CLAIM**

The ornamental design for a support for boots or the like, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a support for boots and the like showing our new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a bottom plan view thereof;
 FIG. 4 is a front elevational view thereof;
 FIG. 5 is a rear elevational view thereof;
 FIG. 6 is a left side elevational view thereof;
 FIG. 7 is a right side elevational view thereof;
 FIG. 8 is a top perspective view of a second embodiment of the design of FIG. 1;
 FIG. 9 is a top plan view of FIG. 8;
 FIG. 10 is a bottom plan view of FIG. 8;
 FIG. 11 is a front elevational view of FIG. 8;
 FIG. 12 is a rear elevational view of FIG. 8;
 FIG. 13 is a left side elevational view of FIG. 8; and
 FIG. 14 is a right side elevational view of FIG. 8.




Fig. 1




Fig. 2




Fig. 6




Fig. 7




Fig. 3

Fig. 4




Fig. 5




Fig. 8




Fig. 9




Fig. 13




Fig. 14





Fig. 10

Fig. 11




Fig. 12

