

[54] BOAT ANCHOR

[75] Inventor: Ira J. Silberman, Opelika, Ala.

[73] Assignee: Diversified Products Corporation,
Opelika, Ala.

[**] Term: 14 Years

[21] Appl. No.: 687,173

[22] Filed: Dec. 28, 1984

[52] U.S. Cl. D12/215

[58] Field of Search D12/215; 114/300, 301,
114/294, 295, 304, 297

[56] References Cited

U.S. PATENT DOCUMENTS

D. 162,874	8/1951	Polenz		D12/215
D. 181,102	10/1957	Kurt et al.		D12/215
D. 191,726	11/1961	Divietro		D12/215
D. 256,578	8/1980	Oberg et al.		D12/215
261,334	7/1882	Goldsmith		114/300
2,464,661	3/1949	Woodland		114/297
3,066,636	12/1962	Churchman et al.		D12/215
3,158,127	11/1964	Gallaughier		114/300
3,402,689	9/1968	James, Jr. et al.		114/300

3,742,891	7/1973	Diorio		114/304
3,754,524	8/1973	Locks		114/294

Primary Examiner—James M. Gandy

Assistant Examiner—Kay H. Chin

Attorney, Agent, or Firm—Banner, Birch, McKie &
Beckett

[57] CLAIM

The ornamental design for a boat anchor, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of a boat anchor showing
my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a side elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;


FIG. 6 is a perspective view of a boat anchor showing
a second embodiment of my new design;

FIG. 7 is a front elevational view of FIG. 6;

FIG. 8 is a side elevational view of FIG. 6;

FIG. 9 is a top plan view of FIG. 6; and

FIG. 10 is a bottom plan view of FIG. 6.






FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8




FIGURE 9




FIGURE 10