

[54] TELEVISION RECEIVER

[75] Inventors: Takao Aoki, Hachioji; Toru Kiyota, Tachikawa; Akemi Takahashi; Rynichiro Tanaka, both of Kokubunji; Hiroyuki Kogane, Tokyo; Toru Higashihara, Tokyo; Mitsuo Kawaguchi, Tokyo; Taisuke Kashima, Tokyo, all of Japan

[73] Assignee: Hitachi, Ltd., Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 643,732

[22] Filed: Aug. 24, 1984

[30] Foreign Application Priority Data

Apr. 4, 1984 [JP] Japan 59-12980

[52] U.S. Cl. D14/82; D14/77

[58] Field of Search D14/33, 77, 79, 80, D14/82, 83; 358/254, 255

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 275,952 10/1984 Boldt et al. D14/33 X
D. 281,162 10/1985 Takahashi et al. D14/79 X

OTHER PUBLICATIONS

"Sylvania" Cat. p. 5; Contemporary Style #CL4432WH' bottom right on page. Woodward & Lothrop Supplement to Washington Post, Oct. 29 1978, p. 34; RCA Color Trak item #34A, top left on page.

Primary Examiner—Carmen H. Vales
Attorney, Agent, or Firm—Antonelli, Terry & Wands

[57] CLAIM

The ornamental design for a television receiver, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a television receiver showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a right side elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a front, top and right side perspective view of a modified embodiment of the television receiver shown in FIG. 1; FIG. 8 is a front elevational view thereof; and FIG. 9 is a right side elevational view thereof. The top, rear and bottom views of the second embodiment are identical to those shown in FIGS. 4, 5 and 6, respectively.





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

