

[54] CAMERA

[75] Inventor: Seijiro Noda, Yokohama, Japan

[73] Assignee: Nippon Kogaku K.K., Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 616,698

[22] Filed: Jun. 4, 1984

[30] Foreign Application Priority Data

Dec. 15, 1983 [JP] Japan 58-54193

[52] U.S. Cl. D16/6; D16/1

[58] Field of Search D16/1-10;
354/81-82, 187, 126-128, 127.1, 127.11, 149.11,
202, 288, 162-169, 135, 145; 362/7-8

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 154,985 8/1949 Bouch et al. D16/9
- D. 221,025 6/1971 Fukuda D16/6
- D. 223,409 4/1972 Fukuda D16/6
- D. 247,852 5/1978 Fukuda D16/6

- D. 279,573 7/1985 Agou D16/1
- D. 284,579 7/1986 Io D16/6
- D. 284,768 7/1986 Nakayama D16/6
- D. 285,449 9/1986 Soda D16/6

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Shapiro and Shapiro

[57] CLAIM

The ornamental design for a camera, as shown and described.

DESCRIPTION

- FIG. 1 is a front perspective view of a camera showing my new design;
- FIG. 2 is a front perspective view thereof with the lens cover in closed position;
- FIG. 3 is a front perspective view thereof with the flash unit in the operative position;
- FIG. 4 is a left side elevational view thereof;
- FIG. 5 is a right side elevational view thereof;
- FIG. 6 is a top plan view thereof;
- FIG. 7 is a bottom plan view thereof;
- FIG. 8 is a rear elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

