

[54] RECONFIGURABLE TOY BULLDOZER

[75] Inventor: Kouzin Ohno, Tokyo, Japan
[73] Assignee: Takara Co., Ltd., Tokyo, Japan
[**] Term: 14 Years
[21] Appl. No.: 647,234
[22] Filed: Sep. 4, 1984

[30] Foreign Application Priority Data

Mar. 28, 1984 [JP] Japan 59-12035
[52] U.S. Cl. D21/131; D21/132;
D21/150; D21/166
[58] Field of Search D21/128, 131, 132, 134,
D21/136, 138, 150, 166; 446/71, 72, 76, 77, 94,
97, 383, 381, 487

[56] References Cited

U.S. PATENT DOCUMENTS

D. 211,746	7/1968	Genin		D21/132
D. 261,787	11/1981	Breneman		D21/132
D. 279,306	6/1985	Murakami		D21/128
D. 279,592	7/1985	Ogawa		D21/150
4,248,006	2/1981	Jones et al.		446/94
4,516,948	5/1985	Obara		446/97

Primary Examiner—Charles A. Rademaker
Attorney, Agent, or Firm—Price, Gess & Ubell

[57] CLAIM

The ornamental design for a reconfigurable toy bulldozer, substantially as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of a reconfigurable toy bulldozer showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a right side elevational view thereof, the side opposite being a mirror image;
FIG. 7 is another side perspective view of the design shown in FIGS. 1 through 6 in a humanoid robot reconfiguration;
FIG. 8 is a front elevational view thereof;
FIG. 9 is a rear elevational view thereof;
FIG. 10 is a top plan view thereof;
FIG. 11 is a bottom plan view thereof;
FIG. 12 is a right side elevational view thereof, the side opposite being a mirror image.





FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG. 7




FIG. 8




FIG. 9




FIG.10




FIG.11




FIG.12

