

[54] ROPE TIE DOWN DEVICE

[76] Inventor: James F. Kimball, 83617 Rattlesnake Rd., Dexter, Oreg. 97431

[**] Term: 14 Years

[21] Appl. No.: 693,359

[22] Filed: Jan. 22, 1985

[52] U.S. Cl. D8/382; D8/356; 24/130

[58] Field of Search D8/356, 382, 383, 44; 24/129 R, 130, 115 K; 114/218; 410/100, 101, 102; 296/40; 248/499, 500, 505, 915; D12/157; 43/42.49, 42.50, 44.85

[56] References Cited

U.S. PATENT DOCUMENTS

D. 185,795	8/1959	Mirrione	D8/382 X
D. 209,330	11/1967	Coderre et al.	D8/382
D. 275,262	8/1984	Kimball	D8/356
656,431	8/1900	Stewart	24/130
1,008,810	11/1911	Freese	24/130
1,583,343	5/1926	Duerden	24/130
2,229,935	1/1941	Powers	D8/44

3,126,858	3/1964	Rosinski	114/218
3,267,540	8/1966	Wolcott et al.	24/130
3,675,276	7/1972	Nuse	24/130
3,905,322	9/1975	Peterman et al.	D8/382 X


Primary Examiner—Wallace R. Burke
Assistant Examiner—Horace B. Fay
Attorney, Agent, or Firm—James D. Givnan, Jr.

[57] CLAIM

The ornamental design for a rope tie down device, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a rope tie down device showing my new design, the bottom plan view thereof being a mirror image;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a side elevational view thereof taken from the left side of FIG. 2, the side opposite being a mirror image; and
FIG. 4 is a rear elevational view thereof.
A bottom plan view of the device is a mirror image of FIG. 1. An end elevational view taken from the right side of FIG. 2 is a mirror image of FIG. 3.






FIG. 1



FIG. 2




FIG. 3




FIG. 4