

[54] SEWING MACHINE

[75] Inventor: Yoshihide Yoneda, Osaka, Japan

[73] Assignee: Maruzen Sewing Machine Co., Ltd., Osaka, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 625,533

[22] Filed: Jun. 28, 1984

[30] Foreign Application Priority Data

Mar. 23, 1984 [JP] Japan ..... 59-11393  
 Apr. 6, 1984 [JP] Japan ..... 59-13787  
 [52] U.S. Cl. .... D15/69  
 [58] Field of Search ..... D15/68-70;  
 112/63, 258-261

[56] References Cited

U.S. PATENT DOCUMENTS

D. 250,649 12/1978 Hirano ..... D15/70  
 D. 253,347 11/1979 Felix ..... D15/70  
 D. 283,029 3/1986 David ..... D15/69  
 3,552,340 1/1971 Frejard ..... 112/258

4,055,131 10/1977 O'Brien et al. .... 112/258 X  
 4,211,178 7/1980 Peterson ..... 112/258  
 4,220,103 9/1980 Kasahara et al. .... 112/260  
 4,434,736 3/1984 Szostak et al. .... 112/258

Primary Examiner—Bernard Ansher  
 Assistant Examiner—Linda Titolo  
 Attorney, Agent, or Firm—Lowe, Price, Leblanc, Becker & Shur

[57] CLAIM

The ornamental design for a sewing machine, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a sewing machine, showing my new design;  
 FIG. 2 is a front elevational view thereof;  
 FIG. 3 is a bottom plan view thereof;  
 FIG. 4 is a rear elevational view thereof;  
 FIG. 5 is a left side elevational view thereof;  
 FIG. 6 is a right side elevational view thereof;  
 FIG. 7 is a front perspective view thereof; and  
 FIG. 8 is a rear perspective view thereof, with the handle member in an upright position and with the spool holder member in a retracted position.




FIG. 1




FIG. 2





FIG. 3






FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8