

[54] SEWING MACHINE

[75] Inventor: Yoshihide Yoneda, Osaka, Japan

[73] Assignee: Maruzen Sewing Machine Co., Ltd., Osaka, Japan

[**] Term: 14 Years

[21] Appl. No.: 625,533

[22] Filed: Jun. 28, 1984

[30] Foreign Application Priority Data

Mar. 23, 1984 [JP] Japan 59-11393

Apr. 6, 1984 [JP] Japan 59-13787

[52] U.S. Cl. D15/69

[58] Field of Search D15/68-70; 112/63, 258-261

[56] References Cited

U.S. PATENT DOCUMENTS

D. 250,649 12/1978 Hirano D15/70

D. 253,347 11/1979 Felix D15/70

D. 283,029 3/1986 David D15/69

3,552,340 1/1971 Frejard 112/258

4,055,131	10/1977	O'Brien et al.	112/258 X
4,211,178	7/1980	Peterson	112/258
4,220,103	9/1980	Kasahara et al.	112/260
4,434,736	3/1984	Szostak et al.	112/258

Primary Examiner—Bernard Ansher
Assistant Examiner—Linda Titolo
Attorney, Agent, or Firm—Lowe, Price, Leblanc, Becker & Shur

[57] CLAIM

The ornamental design for a sewing machine, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a sewing machine, showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a front perspective view thereof; and
FIG. 8 is a rear perspective view thereof, with the handle member in an upright position and with the spool holder member in a retracted position.




FIG. 1




FIG. 2





FIG. 3






FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8