

[54] TIRE

[75] Inventor: Andre E. J. Baus, Bettembourg, Luxembourg

[73] Assignee: The Goodyear Tire & Rubber Company, Akron, Ohio

[*] Notice: The portion of the term of this patent subsequent to Apr. 22, 2000 has been disclaimed.

[**] Term: 14 Years

[21] Appl. No.: 623,866

[22] Filed: Jun. 25, 1984

[52] U.S. Cl. D12/143

[58] Field of Search D12/141-143, D12/146-151; 152/209 R, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

D. 283,498 4/1986 Baus D12/143

FOREIGN PATENT DOCUMENTS

481629 3/1978 Japan .

OTHER PUBLICATIONS

1983 Tread Design Guide, p. 106, Bridgestone V-Steel Rib 230 Tire, top right side of page.

1979 Tread Design Guide, p. 128, Armstrong STR-200 Tire, second Tire in from top right side of page.


Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—L. R. Drayer

[57] CLAIM

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design it being understood that the tread pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown; FIG. 2 is a front elevational view thereof; FIG. 3 is a side elevational view thereof; FIG. 4 is an enlarged fragmentary plan view thereof; FIG. 5 is a perspective view of a tire showing a second embodiment of our new design; FIG. 6 is a front elevational view of the tire of FIG. 5; FIG. 7 is a side elevational view of the tire of FIG. 5; and FIG. 8 is an enlarged fragmentary plan view of the tire of FIG. 5.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8