

[54] WET LOCATION WIRING DEVICE COVER

[75] Inventor: Howard M. Williams, Jr., Emmaus, Pa.

[73] Assignee: Hubbell-Bell Inc., Orange, Conn.

[**] Term: 14 Years

[21] Appl. No.: 576,699

[22] Filed: Feb. 3, 1984

[52] U.S. Cl. D8/353; D13/31

[58] Field of Search D8/350, 352, 353;
174/66, 67; 220/3.8, 241, 242; 339/122 R, 122
F, 123; D13/30, 31

[56] References Cited

U.S. PATENT DOCUMENTS

D. 188,792	9/1960	Robbins		D8/353
D. 270,232	8/1983	Leong		D8/353
D. 273,084	3/1984	Henkel		D13/31
3,137,407	6/1964	Mackiewicz		220/242

Primary Examiner—B. J. Bullock

Attorney, Agent, or Firm—Jerry M. Presson; Walter C. Farley; Stephen A. Litchfield

[57] CLAIM

The ornamental design for a wet location wiring device cover, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a wet location wiring device cover showing my new design, in the closed position;

FIG. 2 is a left end elevational view thereof;



FIG. 3 is a rear elevational view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a perspective view thereof, in the open position with the receptacle inserts and screw shown in broken lines for illustrative purposes only;

FIG. 6 is a bottom plan view of a second embodiment of the design of FIG. 1, the only difference being the configuration of the receptacle opening and the number of screw holes;

FIG. 7 is a perspective view of FIG. 6, in the open position with the receptacle insert and screws shown in broken lines for illustrative purposes only.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7