

[54] **WIRE CHANNEL**

[75] Inventor: **David W. Bramwell**, Prestatyn,  
United Kingdom

[73] Assignee: **EGA Limited**, United Kingdom

[ \* ] Notice: The portion of the term of this patent  
subsequent to May 5, 2001 has been  
disclaimed.

[\*\*] Term: **14 Years**

[21] Appl. No.: **641,494**

[22] Filed: **Aug. 15, 1984**

[30] **Foreign Application Priority Data**

Jun. 26, 1984 [GB] United Kingdom ..... 1020639  
[52] **U.S. Cl.** ..... **D13/13**  
[58] **Field of Search** ..... **D13/13, 24-26,**  
**D13/28-31; 174/48, 68 R, 68 C, 72 A, 73 R, 74**  
**A, 74 R, 76, 77, 82, 93, 98, 101; 138/151, 156,**  
**157**

[56]

**References Cited**

**U.S. PATENT DOCUMENTS**

D. 269,968 8/1983 Rodriguez Moura ..... D13/13  
2,292,395 8/1942 O'Brien ..... 174/101  
3,403,220 9/1968 Riedel et al. .... 138/162 X  
4,589,449 5/1986 Bramwell ..... 138/162

**FOREIGN PATENT DOCUMENTS**

2406327 6/1979 France ..... 138/166  
1021871 3/1966 United Kingdom ..... 174/101

*Primary Examiner*—Susan J. Lucas  
*Assistant Examiner*—C. E. Heflin  
*Attorney, Agent, or Firm*—Andrus, Scales, Starke &  
Sawall


[57]

**CLAIM**

The ornamental design for a wire channel, as shown and  
described.

**DESCRIPTION**

FIG. 1 is a perspective view of the wire channel taken  
from the side and one end showing my new design;  
FIG. 2 is an opposite end elevational view thereof.  
The trunking comprises an elongate channel member  
and a snap-fit cover member. The channel is secured to  
a substrate such as a wall, and services, such as electric  
and telephone cable, laid therein before the cover is  
fitted thereof.






FIG. 2

