

[54] **TIE-DOWN HOOK**

[76] **Inventor: Robert E. Johnson, Jr., 1539 Webster Ct., East Wenatchee, Wash. 98801**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 701,081**

[22] **Filed: Feb. 13, 1985**

[52] **U.S. Cl. .... D8/382; D12/199; D9/441; D11/162; D11/159; D21/52; D8/356**

[58] **Field of Search .... D8/356, 367, 368, 349, D8/354, 382, 383; D9/441, 317, 439, 451, 318; D11/162, 159, 181, 182; 245/499, 500, 505, 915; D12/197, 317; 296/40, 43; 410/106, 101, 102**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 30,551	4/1899	Smith	.....	D11/159	X
D. 38,818	9/1907	Gednetz	.....	D11/162	
D. 65,468	8/1924	Fenwick et al.	.....	D11/162	X
D. 71,120	9/1926	Schnell	.....	D11/162	X
D. 108,397	2/1938	McBride et al.	.....	D9/451	X
D. 114,890	5/1939	Defren	.....	D11/159	
D. 138,098	6/1944	Negbaur	.....	D21/52	X
D. 201,888	8/1965	Faulhaber	.....	D11/182	
D. 210,959	5/1968	Gobel	.....	D21/52	
D. 243,992	4/1977	Baxter	.....	D11/181	X
D. 266,216	9/1982	Markin et al.	.....	D11/159	X
D. 267,247	12/1982	Kowalski et al.	.....	D8/383	X
D. 273,483	4/1984	Sonta-Eullia et al.	.....	D11/162	
349,240	9/1886	Thomas	.....	296/43	X
351,246	10/1886	Bothe	.....	296/43	
705,200	7/1902	Bradley et al.	.....	296/43	X
3,357,670	12/1967	Larson	.....	410/106	
3,421,726	1/1969	Getter	.....	296/43	UX
4,105,812	8/1978	Campbell, Jr.	.....	D11/159	X
4,191,108	3/1980	Jones	.....	296/43	X

4,242,021 12/1980 Sloane ..... 410/106 X

**FOREIGN PATENT DOCUMENTS**

559650 8/1957 Belgium ..... D9/441  
512618 5/1955 Canada ..... 410/101

**OTHER PUBLICATIONS**

“Knife Guide” by B. Levine; ©1981: at p. 137, Eagle at end of Handle of Bowie Knife near page bottom. Railway Locomotives & Cars, Oct. 1973; Huck Fastenings Systems Co. at p. 31; Huck Ad showing Horsehead on Nut & Bolt.

J. C. Whitney & Co. ©1983—Warshawsky & Co. Catalog #433B; 1983 Catalog; at p. 113, Item #14, Horsehead Hood Ornament.

*Primary Examiner*—Wallace R. Burke

*Assistant Examiner*—Horace B. Fay

*Attorney, Agent, or Firm*—Seed and Berry

[57] **CLAIM**

The ornamental design for a tie-down hook, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a tie-down hook showing my new design;

FIG. 2 is a right side elevational view thereof, the side opposite being a mirror image;

FIG. 3 is a rear elevational view thereof;

FIGS. 4 and 5 are respectively top and bottom plan views thereof;

FIG. 6 is a front elevational view of a second embodiment thereof;

FIG. 7 is a right side elevational view thereof;

FIG. 8 is a rear elevational view thereof; and

FIGS. 9 and 10 are respectively top and bottom views thereof.





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

