

[54] TELEPHONE SPEAKER HOUSING

[75] Inventors: David P. Frost, Freehold, N.J.; Gordon E. Sylvester, Jamaica, N.Y.

[73] Assignees: American Telephone and Telegraph (AT&T), New York, N.Y.; AT&T Information Systems, Holmdel, N.J.

[*] Notice: The portion of the term of this patent subsequent to Jan. 22, 1999 has been disclaimed.

[**] Term: 14 Years

[21] Appl. No.: 543,926

[22] Filed: Oct. 20, 1983

[52] U.S. Cl. D14/60; D14/52

[58] Field of Search D14/4, 5, 12, 52, 13, D14/53, 60, 92, 61, 95, 59, 26, 90, 99, 100; 179/179, 100 R, 100 L, 100 D, 100 C, 101, 82 B

[56] References Cited

U.S. PATENT DOCUMENTS

D. 225,746	1/1973	Federico	D14/4
D. 227,014	5/1973	Ardoline	D14/60
D. 239,838	5/1976	Crimmins	D14/52
D. 248,653	7/1978	Hirasa	D14/52
D. 258,507	3/1981	Dietrich	D14/60
D. 264,347	5/1982	Peroni	D18/11
D. 269,432	6/1983	Kowalik et al.	14/57
D. 274,519	7/1984	Pontefract	D14/100
D. 277,001	1/1985	McGarvey et al.	D14/60
D. 277,282	1/1985	Barton et al.	D14/59
D. 279,471	7/1977	Nakashima	D14/92
D. 280,325	8/1985	Joffe et al.	D14/53

OTHER PUBLICATIONS

Fannon Comm. Products, 4 page brochure, Model IN-289N-402, Wired Intercom Systems.

Primary Examiner—Wallace R. Burke

Assistant Examiner—Horace B. Fay

Attorney, Agent, or Firm—David H. Tannenbaum

[57] CLAIM

The ornamental design for a telephone speaker housing, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a telephone speaker housing showing our new design; FIGS. 2 and 3 are respectively top and bottom plan views thereof;

FIG. 4 is a right side elevational view thereof, the side opposite being essentially a mirror image;

FIGS. 5 and 6 are respectively rear and front elevational views thereof;

FIG. 7 is a front, top and right side perspective view of a second embodiment thereof, having pushbuttons panel and speaker area, and it will be understood that the speaker apertures, which are shown fragmentarily as holes fading toward the center for ease of illustration, do in fact extend throughout the entire rectangular speaker area;

FIG. 8 is a top plan view of FIG. 7 as described therein; FIG. 9 is a bottom plan view;

FIG. 10 is a right side elevational view thereof, the side opposite being essentially a mirror image;

FIGS. 11 and 12 are respectively rear and front elevational views thereof;

FIG. 13 is a front, top and right side perspective view of a third embodiment thereof, having a speaker area the apertures of which are shown fragmentarily as holes fading toward the center for ease of illustration, and it is understood that these apertures do in fact extend throughout the entire rectangular speaker area;

FIG. 14 is a top plan view of FIG. 13 as described therein;

FIG. 15 is a bottom plan view thereof;

FIG. 16 is a right side elevational view thereof, the side opposite being essentially a mirror image;

FIGS. 17 and 18 are respectively rear and front elevational views thereof;

FIG. 19 is a front, top and right side perspective view of a fourth embodiment thereof having pushbuttons and panel;

FIG. 20 is a top plan view of FIG. 19 as described therein;

FIG. 21 is a bottom plan view thereof;

FIG. 22 is a right side elevational view thereof, the side opposite being essentially a mirror image; and

FIGS. 23 and 24 are respectively rear and front elevational views thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18



FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24

