

[54] **CHILD'S SAFETY SEAT FOR AN
AUTOMOBILE**

4,033,622 7/1977 Boudreau 297/250
4,580,842 4/1986 Segal 297/488

[75] **Inventor: Kenzou Kassai, Osaka, Japan**

Primary Examiner—Bruce W. Dunkins
Attorney, Agent, or Firm—W. G. Fasse; D. H. Kane, Jr.

[73] **Assignee: Aprica Kassai Kabushikikaisha,
Osaka, Japan**

[57] **CLAIM**

[**] **Term: 14 Years**

The ornamental design for a child's safety seat for an automobile, as shown and described.

[21] **Appl. No.: 655,325**

[22] **Filed: Sep. 26, 1984**

DESCRIPTION

[30] **Foreign Application Priority Data**


Apr. 9, 1984 [JP] Japan 59-14259
[52] **U.S. Cl. D6/333**
[58] **Field of Search D6/333, 335, 337;
297/250, 467, 487, 488**

FIG. 1 is a front elevational view of a child's safety seat for an automobile showing my new design;
FIG. 2 is a rear elevational view;
FIG. 3 is a top plan view;
FIG. 4 is a bottom plan view;
FIG. 5 is a left side elevational view;
FIG. 6 is a right side elevational view;
FIG. 7 is a front perspective view;
FIG. 8 is a front perspective view showing the backrest in an inclined position; and
FIG. 9 is a front perspective view of the seat wherein the safety guard has been pivoted to an alternate position.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 239,230 3/1976 Wener D6/333
3,922,035 11/1975 Wener D6/333 X
3,992,056 11/1976 Koziatek et al. D6/333 X






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 9




FIG. 5




FIG. 6




FIG. 7




FIG. 8