

[54] FLOOR LAMP

[75] Inventor: Hartmut S. Engel, Freiberg, Fed. Rep. of Germany

[73] Assignee: Brillantleuchten AG, Gnarrenburg, Fed. Rep. of Germany

[**] Term: 14 Years

[21] Appl. No.: 611,609

[22] Filed: May 18, 1984

[30] Foreign Application Priority Data

Nov. 21, 1983 [DE] Fed. Rep. of Germany MR99

[52] U.S. Cl. D26/62; D26/65

[58] Field of Search D26/93, 102-112, D26/60-66; 362/410-414, 418, 427, 269, 277

[56] References Cited

U.S. PATENT DOCUMENTS

D. 83,532 3/1931 Gosling D26/107 X

D. 159,875 8/1950 Versen D26/26

D. 164,379 8/1951 Michie D26/107 X

FOREIGN PATENT DOCUMENTS

227312 3/1960 Australia 362/411

OTHER PUBLICATIONS

Abitare, 4-1981, p. 135, Desk Lamp (bottom, right).
Lamp Journal, 6-1965, p. 36, High Intensity Lamp #147.

Roxter Corp. AD., Yachtsman's Lamp Mod. 6750.
Emeralite Co., Inc. Catalog, 1946, p. 16, Standard Flexible Arm Floor Lamp.

L & C. Mayers Catalog, p. 343, Twinflex Floor Lamp (E).

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Harness, Dickey & Pierce

[57] CLAIM

The ornamental design for a floor lamp, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a floor lamp embodying my new design.

FIG. 2 is an enlarged fragmentary top plan view of the base, the supporting standard, arm and reflector being omitted for convenience of illustration.

FIG. 3 is an enlarged side elevational view of the base, the standard, arm and reflector being omitted for convenience of illustration.

FIG. 4 is a top plan view of the floor lamp.

FIG. 5 is a side elevational view thereof as seen from the left of FIG. 3, the opposite side being a mirror image.

The Lines on the top and bottom ends of the supporting arm indicate flexible sections. The convex extrusions on the base are fragmentarily shown for convenience of illustration, it being understood that the elements are continuous around the section of the base on which they are partially shown.





