## United States Patent [19]

## Feltman et al.

[11] Patent Number: Des. 290,568

[45] Date of Patent: \*\* Jun. 30, 1987

		•
[54]	INSULATED MUG	
[75]		Charles H. Feltman, Pacific Palisades; Dirk G. Langer, Venice, both of Calif.
[73]	Assignee:	A California General Partnership 2nd Wave, Venice, Calif.
[**]	Term:	14 Years
[21].	Appl. No.:	700,610
[22] [52] [58]	U.S. Cl	Feb. 11, 1985  D7/9  arch
[56] References Cited		
U.S. PATENT DOCUMENTS		
D. D. D.	204,295 4/1 216,731 3/1 225,885 1/1 232,010 7/1 3,257,025 6/1	1963       Christoffersen       D7/394         1966       Brekke       D7/70         1970       Tsoo-Hing et al.       D7/9         1973       Doman et al.       D7/9         1974       Steinmann       D7/9         1966       Jolly       D7/70 X         1978       Corey       D7/9 X
OTHER PUBLICATIONS		

Gifts & Decorative Accessories, Jun. 1984, p. 157, top

Mug by "Bearly Surviving-Feltman/Langer.

Primary Examiner—Winifred E. Herrmann Attorney, Agent, or Firm—Thomas I. Rozsa

[57] CLAIM

The ornamental design for an insulated mug, as shown and described.

## **DESCRIPTION**

FIG. 1 is a top, and right side perspective view of an insulated mug showing our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a right side elevational view thereof with the left side elevational view being identical thereto;


FIG. 5 is a back elevational view thereof;


FIG. 6 is a bottom plan view thereof;


FIG. 7 is a right side elevational view of a modified form of the insulated mug in FIG. 1 with the remainder of the views being identical, the only difference being the bottom ring portion as shown herein;

FIG. 8 is a right side elevational view of another modified form of the insulated mug in FIG. 1 with the remainder of the views being identical, the only difference being the handle shape as shown herein; and

FIG. 9 is a right side elevational view of still another modified form of the insulated mug in FIG. 1 with the handle shape depicted in FIG. 8 and with the bottom ring portion depicted in FIG. 7, all as shown herein.







## U.S. Patent Jun. 30, 1987 Sheet 1 of 2 Des. 290,568

