

[54] **COMBINED SUPPORT BRACKET AND
HOLDER FOR A CAGE MOUNTED
WATERING UNIT**

[75] Inventor: Eldon Hostetler, Middlebury, Ind.

[73] Assignee: Ziggity Systems, Inc., Middlebury,
Ind.

[**] Term: 14 Years

[21] Appl. No.: 932,386

[22] Filed: Nov. 19, 1986

Related U.S. Application Data

[62] Division of Ser. No. 688,363, Jan. 2, 1985.

[52] U.S. Cl. D30/14

[58] Field of Search D30/13-18;
119/72.5, 75

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 150,917	9/1948	Berg .	
D. 177,053	4/1956	Kofford	D30/16
D. 222,271	10/1971	Rader	D30/13
D. 234,145	1/1975	Peppler et al.	D30/16
D. 250,422	11/1978	Mallinson	D30/13
1,446,740	2/1923	Eummelen .	
2,848,013	8/1958	Kofford .	
3,838,664	10/1974	Atchley .	
3,964,440	6/1976	Hart .	
4,284,036	8/1981	Hostetler .	
4,389,977	6/1983	Borak .	
4,444,149	4/1984	Shomer .	

Primary Examiner—James R. Largen

Attorney, Agent, or Firm—Barnes & Thornburg

[57] **CLAIM**

The ornamental design for a combined support bracket and holder for a cage mounted watering unit, substantially as shown and described.

DESCRIPTION

FIG. 1 is a prospective view taken from the bottom, front, and left side of a combined support bracket and holder for a cage mounted watering unit showing my new design;

FIG. 2 is a right side elevational view thereof;

FIG. 3 is bottom plan view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a front elevational view thereof;


FIG. 7 is a left side elevational view of a modified form of the combined support bracket and holder for a cage mounted watering unit shown in FIG. 1;

FIG. 8 is a left side elevational view of a second modified form of the combined support bracket and holder for a cage mounted watering unit shown in FIG. 1;

FIG. 9 is a perspective view taken from the bottom, front and left side of a third modified form of the combined support bracket and holder for a cage mounted watering unit shown in FIG. 1; and

FIG. 10 is a perspective view taken from the bottom, front and left side of a fourth modified form of the combined support bracket and holder for a cage mounted watering unit shown in FIG. 1.

The fragmentary broken line representation of a wire cage in FIG. 4 and the broken line representation of a watering unit in FIGS. 6 and 10 are for purposes of illustration only and form no part of the claimed design.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 7




FIG. 8




FIG. 5




FIG. 6

FIG. 9





FIG. 10