

[54] ELECTRICALLY HEATED COMFORTER OR THE LIKE

[76] Inventors: Joyce A. Ball; Glen W. McKettrick, both of 7031 Mills Ave., Jacksonville, Fla. 32211

[\*\*] Term: 14 Years

[21] Appl. No.: 706,176

[22] Filed: Feb. 27, 1985

[52] U.S. Cl. .... D6/603; D6/606; D24/41

[58] Field of Search ..... 5/482, 485; 219/212; D6/595, 602, 603, 608, 596-599, 606, 604; D24/41, 36

[56] References Cited

U.S. PATENT DOCUMENTS

D. 102,970	1/1937	Goodstein	.....	D6/603
1,044,270	11/1912	Shaler	.....	219/212 X
1,425,952	8/1922	Fidler	.....	5/485
2,456,468	12/1948	Theodore	.....	219/212
2,697,775	12/1954	Licht	.....	219/212

FOREIGN PATENT DOCUMENTS

879801	10/1961	United Kingdom	.....	5/485 X
--------	---------	----------------	-------	---------

Primary Examiner—Winifred E. Herrmann

[57] CLAIM

The ornamental design for electrically heated comforter or the like, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of the electrically heated comforter or the like showing our new design, the broken lines depicting sewn lines;






FIG. 2 is a front elevational view thereof with the hook and loop fastener opened and with the plug slightly extended to the left;

FIG. 3 is a left side elevational view thereof with the plug and cord repositioned in the plane of the body of the comforter;

FIG. 4 is a rear elevational view thereof without the plug being shown;

FIG. 5 is a bottom plan view thereof; and

FIG. 6 is a perspective and partially exploded view showing the body of the comforter having the central flap turned upwardly to accommodate the feet or hands of a user, the heating pad cover being turned upwardly within the pocket of the body to show the lower hook and upper loop fastener along the edge of the pocket, and the heating pad forwardly pulled from its snap fastened cover.






FIG 1



FIG 2




FIG 3




FIG 4




FIG 5




FIG 6