

[54] BRACKET FOR USE IN A TROLLEY MEMBER

[75] Inventor: Ingemar Ärneteg, Vretstorp, Sweden

[73] Assignee: Stellana Plast AB, Laxa, Sweden

[\*\*] Term: 14 Years

[21] Appl. No.: 652,149

[22] Filed: Sep. 18, 1984

[30] Foreign Application Priority Data

Mar. 23, 1984 [SE] Sweden ..... 84-0983

[52] U.S. Cl. .... D34/35

[58] Field of Search ..... D34/35; 198/687, 686, 198/685; 104/95, 91

[56] References Cited

U.S. PATENT DOCUMENTS

- 2,095,022 10/1937 Bishop ..... 198/687
- 2,101,951 12/1937 McInnis ..... 198/687
- 2,411,906 12/1946 Suman ..... 198/687
- 2,896,772 7/1959 Daigle ..... 198/686

- 4,266,658 5/1981 Frost et al. .... 198/685
- 4,433,627 2/1984 Forshee ..... 198/687

FOREIGN PATENT DOCUMENTS

2902839 7/1979 Fed. Rep. of Germany ..... 198/687


Primary Examiner—James M. Gandy  
Assistant Examiner—Kay H. Chin  
Attorney, Agent, or Firm—Spencer & Frank

[57] CLAIM

The ornamental design for a bracket for use in a trolley member, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a bracket for use in a trolley member showing my new design;  
FIG. 2 is a rear perspective view thereof;  
FIG. 3 is a left side elevation view thereof;  
FIG. 4 is a right side elevation view thereof;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a bottom plan view thereof;  
FIG. 7 is a rear elevation view thereof;  
FIG. 8 is a front elevation view thereof.






FIG. 1




FIG. 2




Fig 3




Fig 4




Fig 5




Fig 6




FIG 7




FIG 8