

- [54] FLUID CARTRIDGE FOR A CLEANING TOOL OR THE LIKE
- [75] Inventors: Samuel C. Heck; David J. Bokmiller, both of San Antonio, Tex.
- [73] Assignee: Sani-Fresh International, Inc., San Antonio, Tex.
- [**] Term: 14 Years
- [21] Appl. No.: 652,874
- [22] Filed: Sep. 20, 1984
- [52] U.S. Cl. D32/45; D4/114; D9/389
- [58] Field of Search D32/17, 35, 42, 45, D32/50, 52; D4/114; 222/372, 207; D9/389; 401/192, 137, 268-273

- 3,390,821 7/1968 Mullan .
- 3,550,817 12/1970 Babin .
- 3,559,847 2/1971 Goodrich .
- 3,828,985 8/1974 Schindler .
- 3,941,283 3/1976 Garbe .
- 4,098,434 7/1978 Uhlig .
- 4,122,980 10/1978 Laverty .
- 4,153,182 5/1979 Loeliger .
- 4,336,895 6/1982 Aleff .
- 4,345,718 8/1982 Horvath .
- 4,347,953 9/1982 Bauer .
- 4,457,454 7/1984 Meshberg .

FOREIGN PATENT DOCUMENTS

- 2040496 8/1971 Fed. Rep. of Germany .
- 479062 2/1916 France .
- 1278449 4/1962 France .

Primary Examiner—George P. Word
Attorney, Agent, or Firm—Joseph H. Yamaoka; John W. Kane, Jr.



[56] References Cited
U.S. PATENT DOCUMENTS

- D. 117,138 10/1939 Buckingham D9/389
- D. 277,455 2/1985 Tordjman D9/389
- 1,677,194 7/1928 Mendoza .
- 2,261,310 11/1941 Sullivan .
- 2,554,570 5/1951 Harvey .
- 2,652,949 9/1953 Martin .
- 2,696,337 12/1954 Dinhofer .
- 2,761,833 9/1956 Ward .
- 2,802,604 8/1957 Ebberts .
- 2,939,615 6/1960 Lerner .
- 3,124,275 3/1964 Lake .
- 3,141,580 7/1964 Rogers .
- 3,310,830 3/1967 Gattone .

[57] CLAIM
The ornamental design for a fluid cartridge for a cleaning tool or the like, as shown.

DESCRIPTION

FIG. 1 is a top plan view of a fluid cartridge for a cleaning tool or the like showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a right side elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a left side elevational view thereof; and FIG. 6 is a bottom plan view thereof.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6