

[54] AMPOULE BREAKER

[76] Inventor: Edward Dudnyk, 444 Lakeside Dr., Horsham, Pa. 19044

[\*\*] Term: 14 Years

[21] Appl. No.: 625,330

[22] Filed: Jun. 27, 1984

[52] U.S. Cl. .... D24/8; D24/23

[58] Field of Search ..... D24/99, 8, 29, 23; 604/200, 415; 206/601, 603; 225/93, 96.5, 97, 96, 103; 241/99; 30/164.9; D8/98

[56] References Cited

U.S. PATENT DOCUMENTS

3,450,319	6/1969	Ray et al. ....	241/99 X
4,226,376	10/1980	Pfleger ....	225/93 X
4,405,067	9/1983	Caron ....	225/93
4,405,069	9/1983	Vivier et al. ....	225/93

4,506,817	3/1985	Parker .....	225/96.5
4,508,250	4/1985	Punchak .....	225/97

Primary Examiner—A. Hugo Word  
Assistant Examiner—Stella M. Reid

[57] CLAIM

The ornamental design for an ampoule breaker, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an ampoule breaker showing my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a right side elevational view thereof;  
FIG. 5 is a rear elevational view thereof;  
FIG. 6 is a left side elevational view thereof;  
FIG. 7 is a bottom plan view thereof; and  
FIG. 8 is a cross-sectional view thereof taken along line 8—8 of FIG. 5.




FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6






FIG-7



*FIG-8*

