## United States Patent [19]

## Lies

Patent Number: Des. 291,511

Date of Patent: \*\* Aug. 25, 1987

| [54]         | WORK STATION    |  |  |  |
|--------------|-----------------|--|--|--|
| [76]         | Inventor:       | Margaret B. Lies, 512 58th St.,<br>Virginia Beach, Va. 23451 |  |  |
| [**]         | Term:           | 14 Years   |  |  |
| [21]         | Appl. No.:      | 700,900  |  |  |
| [22]<br>[52] |                 | Feb. 12, 1985<br>  |  |  |
| [58]         | Field of Search |  |  |  |

| [56] | References Cited      |  |  |
|------|-----------------------|--|--|
|      | U.S. PATENT DOCUMENTS |  |  |

| O]                    |           | . LXC   | ici ciices Citeu |                |  |  |
|-----------------------|-----------|---------|------------------|----------------|--|--|
| U.S. PATENT DOCUMENTS |           |         |                  |                |  |  |
| D                     | . 112,864 | 1/1939  | Schlup           | D6/441 X       |  |  |
| D                     | . 141,097 | 5/1945  | Pinanski         | D6/441 X       |  |  |
| D                     | . 142,121 | 8/1945  | Ristenpart       | D6/422         |  |  |
| D                     | . 151,949 | 12/1948 | Allen et al      | D6/422         |  |  |
| D                     | . 154,419 | 7/1949  | Mushta           | <b>D6/43</b> 0 |  |  |
| D                     | . 164,851 | 10/1951 | Gass             | D6/422         |  |  |
| D                     | . 179,915 | 3/1957  | Prock            | D6/425         |  |  |
|                       | 1,458,449 | 6/1923  | Snyder           | 312/194 X      |  |  |
|                       |           |         |                  |                |  |  |

Primary Examiner—Carmen H. Vales Attorney, Agent, or Firm-Wigman & Cohen

[57]

CLAIM

The ornamental design for a work station, as shown.

## **DESCRIPTION**

FIG. 1 is a front elevational view of a work station showing my new design;

FIG. 2 is a rear elevational view with the drawer in the open position;

FIG. 3 is a top plan view with the drawer in closed position;

FIG. 4 is a left end elevational view thereof;


FIG. 5 is a right end elevational view thereof;


FIG. 6 is a top plan view of a second embodiment of the work station shown in FIG. 3 with the drawer in open position; the front and side views being identical to those shown in FIGS. 1, 4 and 5 respectively;


FIG. 7 is a top plan view of a third embodiment of the work station shown in FIG. 3; the front and side views being identical to those shown in FIGS. 1, 4 and 5 respectively;


FIG. 8 is a rear elevational view of FIG. 6; and


FIG. 9 is a rear elevational view of FIG. 7.
































FIG. 8

