

United States Patent [19]

Ito et al.

[11] Patent Number: **Des. 291,579**

[45] Date of Patent: **** Aug. 25, 1987**

[54] CAMERA

4,557,574 12/1985 Kohno 354/187 X

[75] Inventors: **Hitomi Ito, Kawasaki; Takayuki Tsuboi, Yokohama, both of Japan**

[73] Assignee: **Canon Kabushiki Kaisha, Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **725,548**

[22] Filed: **Apr. 22, 1985**

[30] Foreign Application Priority Data

Nov. 28, 1984 [JP] Japan 59-48868

[52] U.S. Cl. **D16/6; D16/1**

[58] Field of Search **D16/1-10; 354/81-82, 126, 127.1, 127.11, 149.11, 202, 288, 187**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 271,880 12/1983 Agou D16/1
D. 271,881 12/1983 Kato D16/6
D. 279,573 7/1985 Agou D16/1
D. 284,579 7/1986 Io D16/6
D. 285,450 9/1986 Soda D16/6
4,363,546 12/1982 Enomoto 354/187 X

OTHER PUBLICATIONS

Popular Photography-12/84-p. 35-Camera at top.
35 mm Photography-11/84-p. 17-Camera.

Primary Examiner-Nelson C. Holtje
Attorney, Agent, or Firm-Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for a camera, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a camera showing our new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a left front perspective view thereof;

FIG. 8 is a left front perspective view thereof with the flash in an extended position;

FIG. 9 is a left front perspective view thereof with the lens barrier in the closed position.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

