

[54] INSULATED CONTAINER

[75] Inventor: David L. Morris, Henderson, Ky.

[73] Assignee: HTD, Inc., Henderson, Ky.

[**] Term: 14 Years

[21] Appl. No.: 744,626

[22] Filed: Jun. 14, 1985

[52] U.S. Cl. D7/77

[58] Field of Search D7/76, 77; D3/74, 33, D3/78; 62/457, 371, 529; D9/420, 423, 424, 426, 431, 341; 220/412, 902; 206/544, 545

[56] References Cited

U.S. PATENT DOCUMENTS

D. 217,414	4/1970	Lang et al.	D3/78 X
D. 218,908	10/1970	Bright et al.	D3/78 X
3,848,766	11/1974	Ganti et al.	220/9 F
3,915,304	10/1975	Pasco et al.	206/545
4,295,345	10/1981	Atkinson	62/371

Primary Examiner—Bernard Ansher

Assistant Examiner—Terry Pfeffer

Attorney, Agent, or Firm—Senniger, Powers Leavitt and Roedel

[57] CLAIM

The ornamental design for an insulated container, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top, front, left side perspective view of an insulated container showing my new design, the strap shown in broken lines for illustrative purposes only; FIG. 2 is a right side elevational view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a perspective view thereof shown in an open position; FIG. 8 is a top plan view thereof shown in an open position; FIG. 9 is a perspective view of a second embodiment shown in an open position; and FIG. 10 is a top plan view of FIG. 9 shown in an open position.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

