

[54] COMBINED OIL SPOUT AND VALVE

[76] Inventor: Loren A. Jacobson, 14825 Camero La., Rosemount, Minn. 55068

[\*\*] Term: 14 Years

[21] Appl. No.: 672,459

[22] Filed: Nov. 19, 1984

[52] U.S. Cl. .... D9/448

[58] Field of Search ..... D9/434-454; 215/315; 222/531, 536, 533, 464

[56] References Cited

U.S. PATENT DOCUMENTS

D. 176,986	2/1956	McPhee	.....	D9/447 X
D. 187,415	3/1960	Sanchis	.....	D9/450
1,726,315	8/1929	Rose	.....	222/536
1,882,697	10/1932	Aldridge	.....	222/545
2,537,545	1/1951	Patterson	.....	222/339
2,685,978	8/1954	Crockett	.....	215/315 X
2,764,323	9/1956	Keenan	.....	222/363
2,990,980	7/1961	Gronemeyer	.....	222/536

3,094,256	6/1963	Ensch	.....	222/536
3,116,857	1/1964	Lehman et al.	.....	222/545
3,139,224	6/1964	Bloom	.....	D9/450 X
3,190,511	6/1965	Daly	.....	D9/447 X
3,777,950	12/1973	Kiddon	.....	222/554
4,301,940	11/1981	Funfstuck	.....	222/548


Primary Examiner—Bernard Ansher  
Assistant Examiner—Linda Titolo  
Attorney, Agent, or Firm—Burd, Bartz & Gutenkauf

[57] CLAIM

The ornamental design for a combined oil spout and valve, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a combined oil spout and valve, showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a right side elevational view thereof; and  
FIG. 7 is a left side elevational view thereof.






FIG. 4




FIG. 1




FIG. 2




FIG. 3






FIG. 5



**FIG. 6**



**FIG. 7**